

1200X1800MM


GLAZED VITRIFIED TILES

10
years of
innovation

40+
export
countries

200+
unique tiles
design collection


200+
happy consumers
world wide





EXCEPTIONAL SURFACES MULTIFARIOUS APPLICATION POSSIBILITIES

Our tiles are designed for multi-application versatility. From kitchens and bathrooms to living spaces, they seamlessly blend style and function. Elevate your home with the beauty and durability of our ceramic tiles, a perfect choice for various design needs.



APPLICATION AREAS

- Residential Areas
- Commercial Areas
- Hospitals
- Shops and Malls
- Hotels and Restaurants
- Factory





INTRODUCING OUR RESILIENT
POLISHED SURFACE

TECHNICAL CHARACTERISTIC

BRACE
YOURSELF FOR
AN EXTRAORDINARY
EXPERIENCE



ALFANSO WHITE



ARMANI BEIGE



ASTON NATURAL



BELGIA WHITE



CALCATTA BROWN



CALACATTA GLACIER



CASA GREY



CASA



CELINA NATURAL



CREMA ELICE



DURATO BEIGE



ELIGANT GRIS



ERA WHITE



FUSION BEIGE



FUSION BIANCO



FUSION GRIS



GENOA BEIGE



MICHEL ANGELO



MACAEL WHITE



NUVOLA GREY



ONYX SAFFRON



ORIENTAL GREY



ORIENTAL SLATE



RIVERA GREY



ROMANIA BEIGE



ROMANIA GREY



ROYAL STATUARIO



RUBICO DOVE



SYBER ASH



SYBER GREY



STATUARIO ROME



TOKYO WHITE



TURKISH BEIGE



TURKISH GREY



VEGAS BEIGE

1200X
1800MM | GLOSSY
SURFACE

ALFANSO WHITE - 3 RANDOMS

ENDLESS DESIGN










ALFANSO WHITE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

ARMANI BEIGE - 3 RANDOMS





ARMANI BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

ASTON NATURAL - 3 RANDOMS










ASTON NATURAL
1200X1800MM | GLOSSY FINISH


1200X
1800MM | GLOSSY
SURFACE

BELGIA WHITE - 3 RANDOMS

NEW ARRIVAL









BELGIA WHITE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

CALCATTA BROWN - 3 RANDOMS









CALCATTA BROWN
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

CALACATTA GLACIER - 3 RANDOMS









CALACATTA GLACIER
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

CASA GREY - 3 RANDOMS

ENDLESS DESIGN





CASA GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE


CASA - 3 RANDOMS

ENDLESS DESIGN









CASA
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

CELINA NATURAL - 2 RANDOMS







CELINA NATURAL
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

CREMA ELICE - 2 RANDOMS







CREMA ELICE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

DURATO BEIGE - 3 RANDOMS









DURATO BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

ELIGANT GRIS - 2 RANDOMS









ELIGANT GRIS
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

ERA WHITE - 3 RANDOMS









ERA WHITE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

FUSION BEIGE - 3 RANDOMS









FUSION BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

FUSION BIANCO - 3 RANDOMS





FUSION BIANCO
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

FUSION GRIS - 3 RANDOMS





FUSION GRIS
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

GENOA BEIGE - 3 RANDOMS





GENOA BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

MICHEL ANGELO - 2 RANDOMS

ENDLESS DESIGN

NEW ARRIVAL







MICHEL ANGELO
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

MACAEL WHITE - 3 RANDOMS





MACAEL WHITE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

NUVOLA GREY - 2 RANDOMS

NEW ARRIVAL







NUVOLA GREY
1200X1800MM | GLOSSY FINISH

ROCK GRANITO

1200X
1800MM

GLOSSY
SURFACE

ONYX SAFFRON - 3 RANDOMS





ONYX SAFFRON
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

ORIENTAL GREY - 2 RANDOMS

ENDLESS DESIGN

NEW ARRIVAL







ORIENTAL GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM


GLOSSY
SURFACE

ORIENTAL SLATE - 2 RANDOMS

ENDLESS DESIGN







ORIENTAL SLATE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

RIVERA GREY - 3 RANDOMS





RIVERA GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

ROMANIA BEIGE - 3 RANDOMS

ENDLESS DESIGN





ROMANIA BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

ROMANIA GREY - 3 RANDOMS

ENDLESS DESIGN












ROMANIA GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

ROYAL STATUARIO - 3 RANDOMS









ROYAL STATUARIO
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

RUBICO DOVE - 3 RANDOMS





RUBICO DOVE
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE

SYBER ASH - 3 RANDOMS

ENDLESS DESIGN









SYBER ASH
1200X1800MM | GLOSSY FINISH

1200X
1800MM | GLOSSY
SURFACE


SYBER GREY - 3 RANDOMS

ENDLESS DESIGN









SYBER GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

STATUARIO ROME - 3 RANDOMS











STATUARIO ROME
1200X1800MM | GLOSSY FINISH


1200X
1800MM | GLOSSY
SURFACE

TOKYO WHITE - 3 RANDOMS

ENDLESS DESIGN









TOKYO WHITE
1200X1800MM | GLOSSY FINISH


1200X
1800MM | GLOSSY
SURFACE

TURKISH BEIGE - 3 RANDOMS

ENDLESS DESIGN









TURKISH BEIGE
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

TURKISH GREY - 3 RANDOMS

ENDLESS DESIGN







TURKISH GREY
1200X1800MM | GLOSSY FINISH

1200X
1800MM

GLOSSY
SURFACE

VEGAS BEIGE - 3 RANDOMS

ENDLESS DESIGN










VEGAS BEIGE
1200X1800MM | GLOSSY FINISH


ROCK GRANITO

General Indication For Handling, Cutting And Laying


Handling




Where possible, mechanical lifting systems should be used for delivering slabs above the ground floor.




Handling the slabs on the floor can be managed with the aid of a frame fi ed with suction cups to make the slabs more stable.




The appropriate suction cups may be used for manual handling.



To facilitate handling of slabs with textured surfaces, the appropriate suction cups should be used.




For moving the slabs over large surfaces, a forklift can be used.




Once the slab is in position, excess air should be removed completely by tapping it either manually or mechanically using the appropriate trowel, starting from the centre and moving out towards the sides.


Cutting



Cutting opeations should be carried out on a perfectly stable, flat surface.




A cutting guide f ed with a diamond tip tool is recommended.




To cut the slab without breaking the material, the appropriate shears should be used.



The slabs can also be cut with a dry saw or wet saw with a diamond wheel cuter.



For L-shaped cuts or cuts inside the slab, holes should be bored at the vertices to prevent the blade of the cutting disk damaging the suface.



To bore cylindrical holes on the slabs, a diamond cutting ool of the desired diameter should be used, and the surface should be kept wet constantly.

TECHNICAL SPECIFICATION

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm^2	≥ 45N/mm^2
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm^3	≤ 150mm^3
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10^{-8} $°C^1$	≤ 7 x 10^{-6} $°C^1$
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil

10+
Year Of Experience

200+
Unique Designs

40+
Export Countries

PACKING DEATILS

Size	Pcs / Box	Weight (Approx)	Thickness (Approx)	SQ. / Box
1200x1800	2	90 kg	9mm	46.50

THANK YOU

stylographicshub.com