

ArchRock
COLLECTION

TIMELESS BRILLIANCE

BRILLO
SURFACE

800x**3200**mm, **800**x**3000**mm
800x**2400**mm

15mm Thickness



CLASSIC EMINENCE

BRILLO SURFACE

INTRODUCTION




Designed for a Superior Lifestyle

ArchRock COLLECTION

We bring you a magnificent range of superior surfaces with the ArchRock Collection that redefines the style of a space with its poised and appealing designs.

The colossal surfaces of the ArchRock Collection are synonymous with luxury, radiance, and upscale living to design your spaces class-apart and truly matchless. These surfaces are specially designed to give your spaces the essence of grandeur and eliteness paired with unprecedented features, functionality, versatility, and elegance.

We believe in living life king size and with this belief, we offer grand-sized surfaces to create larger-than-life spaces that deliver a sense of surreality and luxury.



THE BRILLIANT BRILLO SURFACES

BRILLO SURFACE

Transforming spaces with glorious refulgence

TThe Brillo Surface is a reflection of class, beauty, and unmatched elegance. The surface is a scintillating poem of refulgent grace allowing your spaces to glow and shine.



Brillo Surface brings a superior surface experience to your spaces with its glorious shine. As the name suggests the Brillo Surface is a brilliantly shining finish offering your spaces glossy elegance transforming them into extravagant and sophisticated spaces whilst giving them the feel of really large spaces if not.


ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

REDEFINE YOUR SPACES WITH ENDLESS POSSIBILITIES

Redefining the meaning of extravagance and majestic sizes, the ArchRock Collection in sizes 800x3200, 800x3000 & 800x2400 is allowing you to reimagine the large formats for the functional and luxurious demands of your spaces.

The exclusive collection is available in a plethora of designs, multiple sizes, one glorious finish, and most of all 5 different color bodies. The body of the tiles matches the color of the glaze to offer your spaces a seamless appeal and details one's eye cannot miss.





BIG SIZE SLABS



The extensively large slabs are available in ultra-durable thickness of 15mm making them extremely reliable and ideal for extensive areas of application.


FUNCTIONALITY FOR UNRESTRICTED APPLICATION

The collection & its formats open boundless application possibilities in your spaces.



The slabs of the collection in versatile sizes are ideal for a long list of applications in different spaces. The formats are ideal for direct and effortless countertop applications, such as dining tabletops, kitchen countertops, bathroom vanities, and worktops.

The slabs offer truly seamless flooring and wall cladding offering ease of application to spaces like fireplaces, window and door frames, lift frames, and a lot more.




Application Areas

- **Countertop**
- **Dining tabletop**
- **Lift Frame**
- **Bathroom**
- **Worktop**
- **Elevation**
- **Staircase**
- **Window & Door Frame**
- **Basin & Furniture**
- **Fireplace**
- **Wall Cladding**
- **Floor Covering**

VERSATILE & LAVISH APPLICATION SOLUTION



DESIGN ELEMENTS
THAT STAND OUT






The collection facilitates a lavish and truly functional countertop, worktop, vanity, staircase application, and much more.

The formats of the collection are specially crafted to allow you to craft luxurious and resilient kitchen countertops with cutouts for basins and more, bathroom vanities, dining tabletops, and more effortlessly.





INSTALL FURNITURE
ELEGANT AND SUPERIOR



FEATURES THAT AID LIFESTYLE

The luxurious collection is exceptionally rich in features too to evolve spaces as functional as they are lavish. Resistant to scratches, stains, heat, frost, and more the surfaces are ideal for use in kitchen and other spaces requiring resistance from modern-day use adversities. They are resistant to impacts, easy to clean, and non-porous resisting microbial growth.

TECHNICAL FEATURES



Hygienic and Suitable for Contact with Food



Water Resistant Surface



Stain Resistant Surface



Scratch and Abrasion Resistant



Resistant to Chemicals, Acids, Bases, and Solvents



Easy to Clean Surface

Impact Resistant Surface

Resistant to UV Rays

Resistant to Mould, Mildew, And Fungus

Resistant to Fire and Heat

Frost Resistant Surface

Flatness and Stability Over Time

ArchRock Collection

Brillo High Gloss Surface

15mm Thickness

A PALETTE OF RICH COLOURS

WHITE BODY

APOLLO WHITE



ARISTON BIANCO



CALACATTA BELISIMO



CALACUTTA LIGHT



CARRARA GOLD



CLOUDY ONYX



GOLDEN STATUARIO



ROSSO ONYX



PRIMAVERA



STATUARIO AFGHAN



STATUARIO BOOK MATCH



STATUARIO GREY



STATUARIO NATURAL



STATUARIO REGALIA



STATUARIO SCALA



STATUARIO SILK



VOLAKAS GRIGIO



GREY BODY

AMAZONITE



ARMANI GREY



FRENCH GREY



PIETRA GREY



SONATA GREY



ArchRock Collection

Brillo High Gloss Surface

15mm Thickness

IVORY BODY

AVORIO GRANITE



BRECCIA AROURA



TURKEY ONYX



PATAGONIA CLASSIC



BROWN BODY

EMPRADORE BROWN



ILLUSION BRONZE



IMPERIO ARMANI MOCHA



TOBACCO BROWN



BLACK BODY

ANTICO BLACK



ATLAS NEO



AGATE CHARCOAL



BELGIUN BLACK



BLACK FUSION



BLACK GOLD



BLACK NOIR




BLACK PORTORO



LABRADORITE



MARCUS AQUA



MARMO FOREST

MARQUINA FUSION

MUSHROOM GRANITE

OCEAN VOLGA


LAURENT GOLD

WOODY BLACK



Reception Table
Apollo White

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



APOLLO WHITE



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **White Body**



Island Platform
Ariston Bianco

Wall & Furniture
Ariston Bianco

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

ARISTON
BIANCO

ARISTON BIANCO



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

CALACATTA
BELISIMO

SERONA

CALACATTA BELISIMO



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**



Dining Tabletop
Calacutta Light


Backsplash & Countertop
Calacutta Light

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

CALACUTTA
LIGHT

SERONA

CALACUTTA LIGHT




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

CARRARA
GOLD

CARRARA GOLD



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**



Dining Tabletop
Cloudy Onyx

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

CLOUDY
ONYX

CLOUDY ONYX



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**




Island Platform
Golden Statuario

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

GOLDEN
STATUARIO

GOLDEN STATUARIO



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **White Body**

ROSSO
ONYX

ROSSO ONYX



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **White Body**



SERONA

PRIMAVERA




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO AFGHAN

STATUARIO AFGHAN



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO
BOOK MATCH

SERONA

STATUARIO BOOK MATCH



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Bookmatch **A+B**
Thickness **15mm**
Type **White Body**

STATUARIO
GREY

SERONA

STATUARIO GREY



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO
NATURAL

STATUARIO NATURAL



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO REGALIA



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm


Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO REGALIA

STATUARIO
SCALA

SERONA

STATUARIO SCALA




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**

STATUARIO
SILK

STATUARIO SILK




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **White Body**

VOLAKAS
GRIGIO

VOLAKAS GRIGIO




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **White Body**




AMAZONITE



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **4**
Thickness **15mm**
Type **Grey Body**



SERONA

ARMANI GREY



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Grey Body**



Island Platform & Dining Tabletop
French Grey

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



SERONA

FRENCH GREY



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Grey Body**

PIETRA
GREY

PIETRA GREY




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Grey Body**



SONATA GREY



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Grey Body**



SERONA

AVORIO GRANITE



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Thickness **15mm**
Type **Ivory Body**



Reception Table
Breccia Aroura

Wall
Breccia Aroura

BRECCIA
AROURA




BRECCIA AROURA

800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Ivory Body**

TURKEY
ONYX

TURKEY ONYX



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Ivory Body**



Island Platform
Patagonia Classic

Kitchen Countertop
Patagonia Classic

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**

PATAGONIA
CLASSIC

PATAGONIA CLASSIC




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Ivory Body**



Wall
Empradore Brown

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



EMPRADORE BROWN




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Brown Body**



ILLUSION BRONZE




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **4**
Thickness **15mm**
Type **Brown Body**



Stairs
Imperio Armani Mocha




SERONA

IMPERIO ARMANI MOCHA



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Brown Body**



TOBACCO BROWN




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Brown Body**



SERONA

ANTICO BLACK



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Black Body**



Island Platform
Atlas Neo


Backsplash & Countertop
Atlas Neo

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



SERONA

ATLAS NEO




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**



SERONA

AGATE CHARCOAL



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **4**
Thickness **15mm**
Type **Black Body**




BELGIUN BLACK



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Black Body**




BLACK FUSION




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Black Body**




SERONA

BLACK GOLD




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **4**
Thickness **15mm**
Type **Black Body**



SERONA

BLACK NOIR



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**




Tabletop
Black Portoro

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



BLACK PORTORO




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**




SERONA

LABRADORITE




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **3**
Thickness **15mm**
Type **Black Body**




SERONA

MARCUS AQUA




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**



SERONA

MARMO FOREST



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm


Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**




Island Platform & Dining Tabletop
French Grey

Kitchen Countertop
French Grey

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



MARQUINA FUSION




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**




Island Platform & Dining Tabletop
Mushroom Granite

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**



SERONA

MUSHROOM GRANITE



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**



Reception Table
Ocean Volga

Wall
Ocean Volga



SERONA

OCEAN VOLGA



800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**



Island Platform
Laurent Gold


Kitchen Countertop
Laurent Gold

ArchRock Collection **Brillo High Gloss Surface** **15mm Thickness**




SERONA

LAURENT GOLD




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**



SERONA

WOODY BLACK




800x**3200**mm, **800**x**3000**mm,
800x**2400**mm

Surface **High Gloss**
Random **2**
Thickness **15mm**
Type **Black Body**


Slab Handling

Tools suggested for handling


For handling the enormously sized slabs, we recommend careful handling with the help of four handlers at the same time in case of the largest size and at least two handlers for the smaller sizes of the slabs.



Reinforced trolley




Parallel & transverse guides




Single & Double suction cup

Handling instructions


We recommends the use of a kit of devices designed especially for the handling of large-size slabs.




We recommend carrying out the handling job of the slabs with four handlers at the same time.



Ensure proper suction with a vacuum between the device and the slab and use a single device/suction cup for a maximum length of up to 150cms.




To lift the slabs use sucker cups after cleaning the slab and cups with a damp sponge. Make sure the device also has suckers that run along with the guides and adhere to the slab.




To lift the slab use guides from the long sides of the slab and lift/hang it vertically to the handles of the trolley frame. Use appropriate size reinforced trolley for various sizes of slabs.

Slab Cutting & Drilling


Tools suggested for cutting and drilling



Workbench with aluminum profiles




Cutting unit




Diamond polishing pads


Manual cutting instructions




Lay the slab on a flat surface and preferably on a workbench with aluminum profiles. Make sure the surface is stable for both cutting and drilling.



Make markings on the slab according to the desired cutting and drilling need.




After scoring the length and making the cut, move the slab out of the workbench till the incision line and split from both sides using cutting-off pliers.




Smooth the edges of the length cut with a diamond polishing pad.

Slab Laying


Tools suggested for Laying



3mm & 10mm trowel




Rubber trowel & spacers




Device for plate's pulling over and leveling wedges & clips

Slab Laying Instructions


Check the laying substrate. Make sure it is clean, mature, and homogeneous with no cracks.




Apply adhesive onto the back of the slab with a 3mm trowel in one direction only.




Apply adhesive onto the floor substrate at the same time while applying on the slab with a 15mm U-notch or 19mm V-notch trowel in the same direction as the slabs.




Position the slab on the adhesive bed with a sucker frame with adjustment of a minimum of 3mm joint.



Tap the slab from the center to the edges with a rubber trowel to expel air. Make sure air is expelled and there is no bubble between the slab and the substrate.




Complete the laying of the slab with a suitable sealant while keeping a 3mm joint through spacers. The special device of pulling over the slabs can be used for easy laying and spacing.




Level the wedges at each linear meter of the slab.


Slab Edge Possibilities




1-1/2" Dupont Bullnose




1-1/2" Pencil Edge




1-1/2" Dupont Square



1-1/2" Reverse Bevel



3/4" Dupont Demi



1-1/2" Dupont Step Square

Cleaning & Maintenance

High-quality raw materials, rigorous production parameters, and world-class technology make the exclusive offering nonporous and thus no dust or deposited waste penetrates the surface.

The no-maintenance surfaces require only a damp cloth for cleaning.

Routine and recurring cleaning spotlights the aesthetic features of the surfaces and keeps the surfaces shining.

For cleaning contamination and stains caused by some common food and other material follow the table below:

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get cleaned immediately/as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	MEAN VALUE OF SLABS	METHOD OF TESTING
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	≥ 90	Gloss Meter 60°
Glossiness (Satin)	As per Manufacturer	As per Manufacture	7 ≤ Gloss Value ≤ 25	Gloss Meter 60°
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm²	Min. 35.0 N/mm²	Min. 40.0 N/mm²	SO 10545-4/IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
Surface Mechanical Properties				
Mohs Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 13630-11
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycles	Min 10 Cycles	Min 10 Cycles	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycles	4 Cycles	4 Cycles	ISO 10545-11/IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy ≥P0,Satin,Posh ≥P1	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb &Cd	ISO-10545-15

Packing Detail

SIZE	THICKNESS	PCS/BOX	AREA/BOX	BOX/WT.
800x2400mm	15mm	1 pc	1.92 mt²	67 kg
800x3000mm	15mm	1 pc	2.40 mt²	84 kg
800x3200mm	15mm	1 pc	2.56 mt²	90 kg

RENAISSANCE INTERNATIONAL LLC,
NEW JERSEY.

Email : us@serona.in
Mobile : (551) 229 5261